



1/8" NPT THD.

COMPRESSED AIR INLET

LOCK RING

AIR IN
 $\phi 1.000''$
 [25.40]

2-1/8" (53.97)

0.374"
 [9.50]

AIR OUT

THIRD ANGLE PROJECTION		REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP.					
		GENERAL				CLIENT	10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7					
MATERIAL	ALUMINIUM/BRASS/SS-316L	1. DIMS ARE IN INCHES (MM)				DRAWN	DATE	TITLE				
		2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				CHIRAG.S	08/04/2015	OUTLINE DRAWING OF AIRJET 45002				
FINISH	-	3. MACHINE FINISH 125 MICRO INCH RMS				DESIGN	PROJECT					
		4. INTERNAL RADII .015				LES	ASHISH					
		5. BREAK SHARP CORNERS .005 TO .015				PROJECT	G.A.					
		LIMITS				STRESS	MANUFACTURING					
		1. LINEAR DIMS.				—	—	SIZE	CAGE CODE	DWG NO	RELEASE	REV
		.XXX = .005				—	—	—	—	—	—	
		.XX = .010				—	—	—	—	—	—	
		.X = .050				—	—	—	—	—	—	
		2. ANGLES = $\pm 1/2^\circ$				—	—	—	—	—	—	
		3. RUNOUT .010 TIR				—	—	—	—	—	—	
		4. HOLES IN ACCORDANCE WITH AND 10387				—	—	—	—	—	—	
		PART NO				MECHANISM	ELECTRICAL					
		NEXT ASSEMBLY				SCALE	1:1					
		USED ON				CAD NO	AJ-45002					
		QTY PER ASSY				SHEET	1 OF 1					
		PART NO										