



$\phi$  0.039" (1mm) X 10NOS  
THRU. HOLES

THIRD ANGLE PROJECTION		REQUIREMENTS—UNLESS OTHERWISE SPECIFIED		CONTRACT NUMBER —		NEX FLOW AIR PRODUCTS CORP.						
		GENERAL		CLIENT —		10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7						
MATERIAL	—	1. DIMS ARE IN INCHES (MM) 2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982) 3. MACHINE FINISH 125 MICRO INCH RMS 4. INTERNAL RADII .015 5. BREAK SHARP CORNERS .005 TO .015		CONTRACTOR —		DATE 09/04/2015		TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com				
FINISH	—	LIMITS		DRAWN CHIRAG.S		CHECKED ASHISH		TITLE				
		1. LINEAR DIMS. .XXX = .005 .XX = .010 .X = .030 2. ANGLES = $\pm$ 1/2" 3. RUNOUT .010 TIR 4. HOLES IN ACCORDANCE WITH AND 10387		DESIGN —		Q.A. —		OUTLINE DRAWING OF X-STREAM™ STRONG FORCE NOZZLE WITH 1/4" FEMALE NPT FITTING				
				PROJECT —		MANUFACTURING —		SIZE	CAGE CODE	DWG NO.	RELEASE	REV
				STRESS —		MATERIALS —		—	—	47010	—	—
				THERMAL —		ELECTRICAL —		SCALE	CAD NO	SHEET	OF	
				MECHANISM —				1:1	NOZ47010	1	1	